

Faunamaster®



PRODUCT CATALOG

Faunamaster®

SEEDER



Model 105

Measure L x W x H	2190x1450 x 1060 cm
Weight	260 kg
Rows	7 adjustable
Distance between rows:	150 mm at 7 rows 350 mm at 3 rows 525 mm at 2 rows
Recomended working speed	4-6 km/t
Workingwide	105 cm

Model 180

Measure L x W x H	2300x2190 x 1130 cm
Weight	410 kg
Rows	12 adjustable
Distance between rows:	150 mm at 12 rows 300 mm at 6 rows 600 mm at 3 rows
Recomended working speed	4-6 km/t
Workingwide	180 cm

✿ **Faunamaster seeder** is a multifunctional planter. It handles seeds in many sizes from small, clover, alfalfa seeds, to corn and beans. sowing depths from 0- 80 mm and Faunamaster seeder 105 has the ability to lay out fertilizer while planting.

✿ **Faunamaster seeder** can be used by ATV/ UTV, or by a 3-point hitch on cat. 1 tractor.

✿ **Faunamaster seeder** is easy to connect to ATV/UTV through the ball hitch. The built-in 12v actuator makes it easy for the driver to operate the planter, without getting off the ATV, when fully raised, ground clearance is 200 mm.

TIME-SAVING AND USER FRIENDLY

Faunamaster seeder is developed as a multifunctional planter, it handles seeds in many sizes from small, clover, alfalfa seeds, to corn and beans. sowing depths from 0-80 mm, and Faunamaster seeder has the ability to lay out fertilizer while planting.

On **Faunamaster seeder**, it is easy to adjust seed flow through the handlebar. Together with the Faunamaster seeder, comes a seed table, that shows settings for clover, alfalfa, beans, kale and corn.

EFFECTIVE AND GENTLE

Faunamaster seeder is ideal for hunter's food-plots, for after-planting in horse fold, or just for planting in areas where normal planter equipment is too big.

Faunamaster seeder can be used in parks and gardens, to plant flowers or herbs. The compact size, combined with an ATV, ensures that it leaves minimal marks in the existing area.

Faunamaster seeder can be used in tilled soil. If it is used for no-till planting, we recommend depths not exceed 10 mm.

TOP SERVICE AND SUPPORT

When buying a Faunamaster product, you are also investing in good service and support. Faunamaster and our resellers always have spare parts in stock, that means, fast service and support. If you need guidance or support, we would be happy to connect you to one of our re-sellers or visit you in person.



FM105 - Our smallest model with 7 adjustable seeding rows.



FM180 - Our biggest model with 12 adjustable seeding rows.

Faunamaster[®]

SPRAYER 70



Professional Sprayer for ATV/UTV with a robust and flexible design

Faunamaster Sprayer 70 is the ideal solution for the professional user who demands reliability, efficiency, and economic advantage in one product.

Model 70

Power supply:	12V, 6.0 AMP (MAX 12 AMP Pump)
Pressure:	120PSI / 8.3 BAR
Spray tank Capacity:	70 liter
Clean water tank:	10 liters for hand washing
Spray boom:	3 meters, adjustable with side selection
Hose reel:	10 meters with spray lance

The Faunamaster Sprayer 70 is carefully designed for professional use on quad and UTVs. With an innovative and durable design, the sprayer ensures efficiency and longevity, even in demanding conditions. The spray boom is specially designed to resist damage by sliding off obstacles through a spring-loaded system, reducing the risk of damage to both the sprayer and its surroundings.

HIGH QUALITY COMPONENTS

Equipped with precision spray nozzles from Lechler, Germany, this sprayer guarantees optimal performance. The boom can be adjusted in height as needed and folds for easy transportation.

EFFICIENT MIXING FUNCTION

A built-in mixing function in the tank ensures constant and uniform mixing of the spray liquid during use.

The Faunamaster Sprayer 70 comes complete – no need for additional purchases or hidden costs. Delivered in a box, as a customer you only need to assemble the main elements before you are ready to use the sprayer, typically the assembly time will be 30 minutes.

Faunamaster[®]

FLAIL MOWER



- ✿ 120mm hammer shaft, the largest shaft on the flail mower market
- ✿ 2 layer body construction, prevent damage from stones on the outside cover on the flail mower.
- ✿ Electronic adjustments of cutting depth/ raise and lower function, electronic opening function of the back cover, engine stop, directly from the atv / utv on the remote control.
- ✿ Option with hammer or Y flails.
- ✿ 21 liter gasoline tank, enough for 6 hours working.

Advanced Adjustability: With the FM130, the cutting height can be easily adjusted directly from the ATV using the included remote control. This provides great flexibility in different terrains. The tailgate can also be opened, which is ideal for working on dense surfaces where quick removal of grass clippings is required.

Choice of Impactor: The FM130 is offered with either a hammer impactor or Y impactor. Hammer flails are versatile for all-round use, where the grass being mowed may contain small branches, willow, or reeds, or perhaps a corn shed that needs to be mowed down. Y flails are particularly effective for grassy areas, where the speed of mowing can be increased with Y flails, however, they are not as hardy as hammer flails, so it is important to clarify which tasks you need to solve.


Model FM130


Motor	Honda V-Twin GX 690, 22.1 HP
Working width	130 cm
Weight	370 kg
Overall Dimensions	210 cm (W) x 220 cm (L) x 110 cm (H)
Clearance height	200 mm

Faunamaster[®]

HARROW



 **Faunamaster Harrow DH140** is the ultimate harrow for ATV/UTV and fits as well Cat. 1 tractors

 **Faunamaster Harrow DH140** can be used for weed cleaning in existing seedbeds or in newly planted forest cultures, for the establishment of new seedbeds, for biodiversity areas, covercrops, wild flowers or areas that needs to be ready for seeding.

Model DH140

Measure L x W x H	3570×2135×1200 cm
Weight	398 kg
Workingwide	1400 mm
Recomended working speed	10 - 14
Working depth	100 mm

FLEXIBLE AND EFFICIENT

The harrow is equipped with 5 harrow tines, as well as 5 goose feet which can be changed according to need and work task. The DH140 also have 2 axles with disc harrows. At the back, there is a spring rake that ensures a nice and clean result, in the newly created seed bed.


The working depth can be set individually, so that the harrow can work separately with goose feet, harrow tines and or disc plates.

HEAVY DUTY

The DH140 is heavily built to withstand the tasks that must be solved during tillage, this ensures that you will enjoy this harrow for many years to come. The DH140 is simply built according to the concept, heavy duty.

Why choose Faunamaster?



 **Faunamaster innovates and produces equipments for ATV / UTV and cat.1 tractors, that is time saving, user friendly, and leaves minimal tracks after use.**

ALL DEVELOPMENTS STARTS IN DENMARK

In the development proces, we source different suppliers on each specific components. We have this approach in our development, because we can't be experts in all aspects of a machine. This ensures that you as a Faunamaster customer always gets a product where all the different components is tested and of a top quality.

OUR CUSTOMERS ARE OUR PARTNERS

If you as a Faunamaster customers, have ideas for new products, or ideas on how to improve a existing Faunamaster product, we would be gratefull to hear from you, so we are able to supply our customers with the best product features on the market.

WARRANTY

All Faunamaster products has a 24 months warranty period. This does not include wearing parts and seed blends. Remember to registrate your new faunamasater product, on our website, to get the full warranty:
<https://faunamaster.com/garantiregistrering/>

DID YOU KNOW ...?

Faunamaster is a Danish company that exports products to more than 12 different countries.

Faunamaster has a spareparts stock on all common spareparts in Denmark, our local dealer network in each countries, does also have spareparts in stock, that ensures fast delivery when a part is needed.



**Fauna
master**[®]

Tårnvej 32, DK-7200 Grindsted
Phone +45 61 40 40 80
www.faunamaster.com
salg@faunamaster.com